

SAFETY AND COMPLIANCE TESTING FOR SURESTOP

Tested Sample(s) : Bicycle Brake Pads
Brand : SureStop
Model : SureStop Brakes
Color : Not Specified
Size : Not Specified
Vendor P/N : Not Specified
Country of Origin : Not Specified
Age Grading : Not Specified
Children's Product : Not Specified

Prepared For:

SureStop
8F-2, No. 77 Shizeng N. 1st Road
Taichung, Taiwan



Issue Date: 10 June 2015

Final Report: 659.0001.GOST (UKRAINE) R1

This document shall not be reproduced except in full without written approval from ACT Lab LLC




This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer joint ISO-ILAC-IAF Communiqué dated January 2009.) The Joint Communiqué is available on publications and resources page of the ILAC website at <http://www.ilac.org>. Accreditation listing and certificate can be found at <http://www.iasonline.org>.

CONCLUSION

(659.0001) – SureStop, SureStop Brakes		
Purpose of Test – Each test performed is intended to check compliance with the following:	Result	Comment
GOST 5503-94 – Bicycles: General Specifications – Brake System	C	

President,



John A. Bogler

SAMPLE IDENTIFICATION

Brand:	SureStop	Job No.:	659.0001
Model Name:	SureStop Brakes	Sample ID No.:	659.0001.001
Vendor Name:	SureStop	Type:	Bicycle Brake Pads
Vendor P/N:	Not Specified	Size (c):	Not Specified
Manufacturer:	Not Specified	Color(s):	Not Specified
Manufacturer P/N:	Not Specified	Weight (g):	Not Specified
Serial No.:	Not Specified	Country of Origin:	Not Specified



DATE AND PLACE OF TEST

Sample(s) received on : 28 January 2014
Testing was initiated on : 31 January 2014
Testing was completed on : 31 January 2014
Testing was performed at : Taicang ACT Sporting Goods Testing Co., Ltd.
Taicang City, Suzhou, Jiangsu Province, China

TEST METHODS

Method for each test conducted is as follows:

- GOST 5503-94 test was performed according to the GOST 5503-94/ISO Cycles-Safety Requirements for Bicycles (2014E) Requirements for Bicycles standard:
 - Brake System (GOST)
 - Section 4.6 Brakes (ISO).

TEST RESULTS

C: Compliant; Product meets specified standard NC: Non-Compliant; Product does not meet specified standard NA: Not Applicable to this design NR: Not Requested by the Applicant NP: Not Present	ND: None Detected IC: Inconclusive NT: Not Tested FTR: Further Testing Recommended PPM: Parts Per Million *: See Comments
--	--



GOST 5503-94 BICYCLES: GENERAL SPECIFICATIONS

GOST 5503-94 BICYCLES: GENERAL SPECIFICATIONS			
Ref. #	Test Description	Result	Observations and Notes
4.6	Brakes	C	
4.6.1	Braking systems	C	
4.6.2	Hand-operated brakes	C	
4.6.2.1	Brake lever position	NA	
4.6.2.2	Brake lever grip dimension	NA	
4.6.3	Attachment of brake assembly and cable requirements	NA	
4.6.4	Brake-block and brake-pad assemblies - Security test	C	
4.6.5	Brake adjustment	C	
4.6.6	Hand-operated braking system - Strength test	C	
4.6.7	Back-pedal braking system - Strength test	C	
4.6.7.1	General	C	
4.6.7.2	Requirement	C	
4.6.8	Braking performance	C	
4.6.8.1	General - Track or Machine	C	
4.6.8.1.1	Track test	C	
4.6.8.1.2	Machine test	C	
4.6.8.2	Smooth, safe-stop characteristics	C	
4.6.8.3	Ratio between wet and dry braking performance - Track	C	
	Ratio between wet and dry braking performance - Machine	C	
4.6.9	Brakes - Heat-resistance test	C	
4.6.9.1	General - Disc, Hub and Thermoplastic rims	NA	
4.6.9.2	Requirement	C	

GOST 5503-94: Brakes						
Sample	Conditions	Run	Speed (RPM)	Speed (Km/hr)	Stopping Distance (m)	Corrected Distance (m)
AA10165	Dry Front & Rear Brakes	1	121.0	15.0	1.98	2.08
		2	134.0	16.6	2.26	1.92
		3	131.0	16.2	2.21	1.97
		4	131.0	16.2	2.46	2.21
		5	130.0	16.1	2.24	2.03
		AVERAGE	129.4	16.0	2.23	2.04



GOST 5503-94: Brakes						
<u>Sample</u>	<u>Conditions</u>	<u>Run</u>	<u>Speed (RPM)</u>	<u>Speed (Km/hr)</u>	<u>Stopping Distance (m)</u>	<u>Corrected Distance (m)</u>
AA10166	Dry Front & Rear Brakes	1	124.0	15.3	1.93	1.91
		2	130.0	16.1	1.93	1.72
		3	132.0	16.3	2.26	1.98
		4	131.0	16.2	2.01	1.77
		5	132.0	16.3	2.16	1.88
		AVERAGE	129.8	16.0	2.06	1.85
AA10166	Dry Rear Brakes	1*	132.0	16.3	3.43	3.12
		2	127.0	15.7	2.79	2.71
		3	129.0	15.9	2.79	2.62
		4	129.0	15.9	3.25	3.09
		5	128.0	15.8	3.20	3.09
		AVERAGE	129.0	15.9	3.09	2.93

GOST 5503-94: Brakes						
<u>Sample</u>	<u>Conditions</u>	<u>Run</u>	<u>Speed (RPM)</u>	<u>Speed (Km/hr)</u>	<u>Stopping Distance (m)</u>	<u>Corrected Distance (m)</u>
AA10165	Wet Front & Rear Brakes	1	130.0	16.1	2.08	1.87
		2	132.0	16.3	2.21	1.93
		3	135.0	16.7	2.18	1.81
		4	130.0	16.1	2.39	2.18
		5	131.0	16.2	2.31	2.07
		AVERAGE	131.6	16.2	2.23	1.97
AA10166	Wet Front & Rear Brakes	1	134.0	16.6	1.85	1.53
		2	129.0	15.9	1.60	1.41
		3	131.0	16.2	1.70	1.46
		4	132.0	16.3	1.73	1.47
		5	133.0	16.4	1.32	1.05
		AVERAGE	131.8	16.3	1.64	1.38
AA10166	Wet Rear Brakes	1	129.0	15.9	3.38	3.22
		2	132.0	16.3	3.35	3.04
		3	130.0	16.1	3.48	3.27
		4	126.0	15.6	2.80	2.77
		5	133.0	16.4	3.25	2.90
		AVERAGE	130.0	16.1	3.25	3.04

END OF REPORT